

NRL602 Auto - Level Rotary Laser

Laser Beam: Horizontal, Zenith & Plummet

Wave Length: 635 nm

Operating Range: 2,000 ft with Detector

Leveling Accuracy: 1/16 in @ 100 ft horizontal

1/8 in @ 100 ft vertical

Self Leveling Range: +/- 5°

Slope Function: Manual

Tripod Adaptor: 5 / 8 x 11 thread

Includes: Remote Control, Grid Target, Glasses, Batteries & Charger, Carrying Case & Manual



NRL602 Auto - Level Rotary Laser Packages

Exterior Package

NEXPK602

NRL602 Rotary Laser

Remote Control

Detector w/ Clamp

Grid Target & Laser Glasses

Batteries and Charger

Contractor's Tripod

Aluminum Rod

Carrying Case & Manual

Interior Package

NINPK602

NRL602 Rotary Laser

Remote Control

Batteries and Charger

Universal Ceiling Bracket

Grid Target & Laser Glasses

Carrying Case & Manual





NRL800 Auto - Level Rotary Laser

Laser Beam: Horizontal

Wave Length: 635 nm

Operating Range: 2,000 ft with Detector

Leveling Accuracy: 1/16 in @ 100 ft horizontal

Self Leveling Range: +/- 5°

Self Leveling Method: Electronic Servo Motors

Bumper Sensor: On Board

Weight: 12 lbs.

Tripod Adaptor: 5 / 8 x 11 thread

Includes: Remote Control, Bracket, Rechargeable
Batteries & Charger, Carrying Case &
Manual

NEXPK800 Laser Package

Includes:

NRL800 Rotary Laser

Bracket & Remote Control

Batteries & Charger

Detector with Clamp

NAT83 Contractor's Tripod

NAR09E 9' Aluminum Rod

Carrying Case & Manual

NRL802 General Purpose Interior / Exterior Laser



Laser Beam: Horizontal & Zenith

Wave Length: 635 nm

Operating Range: 2,000 ft with Detector

Leveling Accuracy: 1/16 in @ 100 ft horizontal

1/8 in @ 100 ft vertical

Self Leveling Range: +/- 5°

Tripod Adaptor: 5 / 8 x 11 thread

Includes: Remote Control, Bracket, Grid Target,
Glasses, Batteries & Charger, Carrying
Case & Manual

NRL802 General Purpose Laser Packages

Exterior Package
NEXPK802

NRL802 Rotary Laser

Bracket

Remote Control

Detector w/ Clamp

Grid Target & Glasses

Batteries & Charger

NAT83 Contractor's Tripod

NAR09E 9' Aluminum Rod

Carrying Case & Manual

Interior Package
NINPK802

NRL802 Rotary Laser

Remote Control

Grid Target

Glasses

Universal wall mount / ceiling
bracket

Batteries & Charger

Carrying Case & Manual





NRL800X Grade Laser

Laser Beam: Horizontal & Zenith

Wave Length: 635 nm

Operating Range: 2,000 ft with Detector

Leveling Accuracy: 1/16 in @ 100 ft horizontal
1/8 in @ 100 ft vertical

Grade Setting Method: Dial-in Automatic

Programmable Grade Settings: +/- 8°

Power: Rechargeable Batteries

Tripod Adaptor: 5 / 8 x 11 thread

Includes: Remote Control, Rechargeable Batteries &
Charger, Bracket, Grid Target, Glasses,
Carrying Case & Manual



NEXPK800X Grade Laser Package

Includes:

NRL800X Grade Laser

Bracket

Remote Control

Rechargeable Batteries and Charger

Detector with Clamp

Grid Target & Laser Glasses

NAT83 Contractor's Tripod

NAR09E 9' Aluminum Rod

Carrying Case & Manual

